MAGNETIC RESONANCE in CHEMISTRY

1988 **Volume 26**

MRCHEG 26(1–12)1–1114 (1988)

ISSN 0749–1581

John Wiley & Sons Ltd

MAGNETIC RESONANCE in CHEMISTRY

EDITOR-IN-CHIEF

Dr P. M. E. LEWIS

John Wiley & Sons Ltd, Baffins Lane, Chichester PO19 1UD, UK

REGIONAL EDITORS

North America

Dr S. L. MANATT

Jet Propulsion Laboratory, Mail Station 183/901, California Institute of Technology, Pasadena, California 91109

Professor B. L. SHAPIRO

966 Elsinore Court, Palo Alto, California 94303, U.S.A.

Europe

Dr W. BREMSER

BASF Aktiengesellschaft, Hauptlaboratorium, 6700 Ludwigshafen, Germany

Professor G. HABERMEHL

Chemisches Institut der Tierärztlichen Hochschule Hannover, Bischofsholer Damm 15, 3000 Hannover 1, Germany

Professor M. L. MARTIN

Chimie Organique Physique, Université de Nantes, 2 rue de la Houssinière, 44072 Nantes, France

Professor W. von PHILIPSBORN

Organisch-Chemisches Institut, Universität Zürich-Irchel, Winterthurerstrasse 190, CH-8057 Zürich, Switzerland

Australasia

Professor S. STERNHELL

Department of Organic Chemistry, University of Sydney, NSW 2006, Australia

Asia

Professor Y. TAKEUCHI

Department of Chemistry, College of Arts and Sciences, The University of Tokyo, Komaba, Meguro-ku, Tokyo 153

USSR

Professor E. LIPPMAA

Institute of Chemical Physics and Biophysics, Estonian Academy of Sciences, Lenini Puiestee 10, Tallinn 200001

Prof. R. J. Abraham
University of Liverpool

Dr J. W. Akitt
University of Leeds

Prof. F. A. L. Anet
University of California

Prof. P. J. Bray
Brown University, Providence

Prof. R. G. Bryant
University of Rochester

Dr A. M. Chippendale
ICI plc, Organics Division, Manchester

Prof. P. Diehl
University of Basel

Dr C. M. Dobson
University of Oxford

Prof. E. L. Eliel
University of North Carolina

Prof. P. D. Ellis
University of South Carolina

Prof. S. Fujiwara
Kanagawa University

Prof. C. A. Fyfe
University of Guelph

Prof. F. Gerson
University of Basel

Prof. P. Granger
Institut de chimie, Strasbourg

Prof. Dr H. Günther
University of Siegen

Prof R. K. Harris
University of Durham

Dr H. J. Jakobsen
University of Aarhus

Prof. A. R. Katritzky
University of Florida

Prof. Dr H. Kessler
Johann Wolfgang Goethe-Universität, Frankfurt

ADVISORY BOARD

Prof. Dr R. Kosfeld
Universität Duisberg

Prof. J. B. Lambert
Northwestern University, Illinois

Prof. Dr A. E. Merbach
Université de Lausanne

Prof. I. Morishima
Kyoto University

Dr G. A. Morris
University of Manchester

Prof. M. Ōki
Okayama University of Science

Prof. M. Ptak
Centre de Biophysique Moléculaire, Orléans

Prof. Dr P. S. Pregosin
Eidgenössische Technische Hochschule, Zürich

Prof. W. F. Reynolds
University of Toronto, Ontario

Prof. J. D. Roberts
California Institute of Technology

Dr J. K. M. Sanders
University of Cambridge

Dr J. Schaefer
Washington University, St. Louis

Dr J. N. Shoolery
Varian Associates

Dr I. C. P. Smith
National Research Council, Ottawa

Prof. J. A. S. Smith
Queen Elizabeth College, London

Prof. W. B. Smith
Texas Christian University

Prof. J. B. Stothers
University of Western Ontario

Prof. B. D. Sykes
University of Alberta

Prof. F. Taddei
University of Modena

Copyright © 1988 by John Wiley & Sons, Ltd.

COPYING OF ARTICLES

The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The per-copy fee for each article appears after the dollar sign, and is to be paid through the Copyright Clearance Center Inc. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests, or other inquiries, should be addressed to the publisher.

Contents of Volume 26

NUMBER 1 JANUARY 1988

Model Compounds for the Active Site Selenocysteine of Glutathione Peroxidase: a ^{77}Se NMR Study 1
D. DOWD AND P. GETTINS

Conformation of the Hypermodified Purine Queuine: Substrate for the Enzyme Transfer RNA – Guanine Transglycosylase 4
H. SIERZPUTOWSKA-GRACZ, P. F. AGRIS AND J. R. KATZE

^{13}C and ^{15}N NMR Studies of 1,2-Benzisoxazole 2-Oxides, 1,2-Benzisoxazoles and 2-Hydroxyaryl Ketoximes 8
P. G. TSOUNGAS AND B. F. DE COSTA

Unequivocal Assignment of the Position of Sulphonation in DL-Camphor by ^{1}H and ^{13}C NMR Spectroscopy 14
P. D. STANLEY, R. J. CREMLYN, J. NANGLE AND F. J. SWINBOURNE

^{17}O NMR Studies on Substituted *N*-Arylacetamides and Aryl Acetates: Torsion Angle and Electronic Effects 19
D. W. BOYKIN, G. H. DEADWYLER AND A. L. BAUMSTARK

Modulation of Methylene Carbon Response Intensity in Long-Range Heteronuclear 2D NMR Chemical Shift Correlation Spectra 24
M. SALAZAR, A. S. ZEKTZER AND G. E. MARTIN

Elimination of Direct Responses and One-bond Modulations in Long-Range Heteronuclear Chemical Shift Correlation Spectra through the use of Low-Pass J Filters and BIRD Pulses 28
M. SALAZAR, A. S. ZEKTZER AND G. E. MARTIN

Carbon-13 NMR Spectra of some Disubstituted Diamantanoid Compounds 33
A. HORSKÁ, J. PODEHRADSKÁ, L. VODIČKA, M. HÁJEK AND P. TRŠKA

Differentiation of Diastereomeric 2-substituted Cyclohexanamines with Three Chirality Centres by ^{13}C NMR Spectroscopy 37
G. KNUPP AND A. W. FRAHM

Use of ^{13}C-^{1}H Coupling Constants for the Investigation of Azide-Tetrazole Tautomerism in Aromatic Nitrogen Heterocycles. Detection of Ditetrazolo [1,5-*a*: 1′,5′-*c*] pyrimidine 42
A. YU. DENISOV, V. P. KRIVOPALOV, V. I. MAMATYUK AND V. P. MAMAEV

Two-dimensional NMR Analysis of Himachalol and its Correlation with other Sesquiterpenoids of the Himachalane Series 47
O. PRAKASH, R. ROY AND D. K. KULSHRESHTHA

^{13}C NMR Chemical Shift Substituent Effects 4 – Monosubstituted Acetones 51
R. RITTNER, J. A. VANIN AND B. WLADISLAW

Configuration of Cross-conjugated Caroten-20-als: 2D NMR Study on Four Isomers of Renierapurpurin-20-al 55
G. ENGLERT, E. GLINZ, S. LIAAEN-JENSEN

^{1}H, ^{2}H, ^{19}F, ^{14}N ENDOR and TRIPLE Resonance Investigations of Substituted Flavin Radicals in their Different Protonation States 64
E. WEILBACHER, N. HELLE, M. ELSNER, H. KURRECK, F. MÜLLER AND R. D. ALLENDOERFER

^{13}C NMR Chemical Shift Substituent Effects 5-αMonosubstituted *N*,*N*-Diethylacetamides 73
R. RITTNER, M. A. P. MARTINS AND G. CLAR

Heteronuclear Directed Site-selective NOESY Spectroscopy by Polarization Transfer or Multiple Quantum Filtering 78
A. VOLK, J. MISPELTER, J. L. DIMICOLI, E. PAPAMICHAEL AND C. SAKARELLOS

Effects in the ^{1}H and ^{13}C NMR Spectra of Steroids 85
P. E. HAMMANN, G. G. HABERMEHL AND H. KLUGE

Reference Data
^{13}C NMR Spectra of Some Novel 2(5*H*)-Furanone and 3(2*H*)-Furanone Derivatives 89
W. J. KUIPERS, R. A. MACK AND V. S. GEORGIEV

Book Reviews: H. Booth; S. Sternhell; T. A. Crabb; **92 Papers in Press 93**

NUMBER 2 FEBRUARY 1988

1,3-Dinitroso-, 1-Nitroso-3-Nitro-, and 1,3-Dinitro-1,3-Diazacycloalkanes. A Multinuclear NMR Study 95
R. L. WILLER AND D. W. MOORE

Nuclear Magnetic Resonance and Infrared Spectral Characterization of some Peroxysterols 104
K. JAWORSKI AND L. L. SMITH

Carbon-13 NMR Spectra of 1,3-Dioxolanes. II—Determination of α, and β Parameters for 2- and 4-Methyl Groups in Stereoisomeric Derivatives by the Pattern Molecule Method 108
A. ESPINOSA, M. A. GALLO, J. CAMPOS, J. A. ENTRENA AND E. CAMACHO

^{13}C T_1 NMR Study of Arylmercury Compounds. Barriers to Rotation about the Carbon-Mercury Bond 111
R. D. THOMAS AND K. E. ROWLAND

Carbon-13 and Proton Two-dimensional NMR Study of Diterpenoids of *Coleus Forskohlii* 117
O. PRAKASH, R. ROY, J. S. TANDON AND M. M. DHAR

Chiral Hydroxymethyl Groups: ^{1}H NMR Assignments of the Prochiral C-5′ Protons of Ribonucleosides 120
P. C. KLINE AND A. S. SERIANNI

Utility of ^{13}C NMR Spectroscopy in Monitoring the Course of a Complex Reaction Sequence: Reaction of Pyrrole with Formaldehyde 124
A. R. KATRITZKY AND K. W. LAW

A ^{13}C Study of Hydroxymethyl Derivatives of Five-membered Ring Heterocycles 129
A. R. KATRITZKY AND K. W. LAW

Effect of *N*-Substituents on the ^{13}C NMR Parameters of Azoles 134
M. BEGTRUP, J. ELGUERO, R. FAURE, P. CAMPS, C. ESTOPÁ, D. ILAVSKÝ, A. FRUCHIER, C. MARZIN AND J. DE MENDOZA

Complete ^{1}H and ^{13}C Spectroscopic Assignments for the Antibiotic Novobiocin and NOE Evidence for Multiple Conformations 152
C. M. PEARCE AND J. K. M. SANDERS

^{13}C NMR Spectra of *para*-Substituted Methoxybenzenes and Phenols in the Solid State: Examination of Chemical Shift Non-equivalence in *ortho* and *meta* Carbons Related to Non-equivalent Electron Distribution, and Application to Assignment of Peaks in *meso*-Hexestrol and its Derivatives 155
H. SAITÔ, M. YOKOI, M. AIDA, M. KODAMA, T. ODA AND Y. SATO

^{1}H NMR Spectra of Aflatoxin-B_2 and Aflatoxin-G_2 162
G. BLUNDEN, S. M. GORDON, M. J. JAZWINSKI, O. G. ROCH, T. A. CRABB, K. JEWERS AND R. D. COKER

Solution Structure of Porphyrin Aggregates Determined by ^{1}H NMR Ring Current Shifts II. Conformations of Dimers and Higher Aggregates of Water-soluble Porphyrins 167
R. B. M. KOEHORST, U. HOFSTRA AND T. J. SCHAAFSMA

Reference Data
Proton and Carbon-13 NMR Study of *N*-(β-Benzoylethyl)-β-alanine Ethyl Esters and their Hydrochlorides 173
M. C. AVERSA, A. FERLAZZO AND P. GIANNETTO

Assignment of ^{1}H and ^{13}C NMR Spectra and Conformation of 8,8-Diethyl-*N*,*N*-dimethyl-2-aza-8-germaspiro[4,5]decane-2-propanamine Dihydrochloride (Spirogermanium) 175
M. SARRAZIN, V. PEYROT, C. BRIAND AND R. FAURE

Book Review, 178; Letters to the Editor, 179; Papers in Press, 180

NUMBER 3 MARCH 1988

Suppression of Direct Peaks in Two-dimensional Heteronuclear NOE Spectra. Sensitivity-enhanced Detection of Weak Indirect and Relay Peaks 181
K. E. KÖVÉR AND G. BATTA

Stereochemical Analysis and Complete ^{1}H/^{13}C NMR Chemical Shift Assignments of Matrine. Application of NOE and Two-dimensional NMR Techniques 185
N. C. GONNELLA AND J. CHEN

^{13}C and ^{1}H NMR Studies of Structure and Tautomerism in some Perimidines 191
P. D. WOODGATE, J. M. HERBERT AND W. A. DENNY

^{13}C NMR Chemical Shift Trends and Conformational Changes in Alkali Metal Cation Complexes of a Series of Naphthalene Crown Ethers 197
M. R. JOHNSON, C. A. COLBURN, S. J. GANION, B. SON, J. A. MOSBO AND L. R. SOUSA

Carbon-13 Nuclear Magnetic Resonance Spectra of Brominated Catechin Derivatives: Stereo-electronic Effects on Chemical Shifts 204
E. KIEHLMANN AND A. S. TRACEY

Polar Substituent Effects in the Bicyclo[2.2.2]octane Ring System: a ^{19}F NMR Study of Some 4-substituted Bicyclo[2.2.2]octane-1-carbonyl Fluorides 211
W. ADCOCK AND V. S. IYER

Application of Relayed Coherence Transfer Two-dimensional Nuclear Magnetic Resonance Spectroscopy to the Assignment of ^{1}H Chemical Shifts in Steroids 214
D. W. HUGHES

Accurate Exchange Rate Constants from Valley-to-Peak Intensity Ratios of a Two-site System with Equal Populations 224
C. L. PERRIN

Assignments of the ^{1}H and ^{13}C NMR Resonances of Cadinanes and Bicadinane by Means of Two-dimensional Shift-correlated NMR Techniques 228
C. KRUK, H. C. COX AND J. W. DE LEEUW

^{1}H Bridging and Terminal Hydride T_1 Values. Comments on Classical *vs* Non-classical Hydride Identification Using T_1 Criteria 236
C. AMMANN, F. ISAIA AND P. S. PREGOSIN

Study of Intramolecular Hydrogen Bonding in *o*-Anisic Acid and *o*-Anisamide by ^{17}O NMR and *Ab Initio* MO Calculations 239
G. JACCARD, P.-A. CARRUPT AND J. LAUTERWEIN

High-power ^{13}C and ^{1}H Nuclear Magnetic Resonance in Dry Gluten 245
P. S. BELTON, S. L. DUCE, I. J. COLQUHOUN AND A. S. TATHAM

Conformational Analysis 13—Lanthanide-induced Shift (LIS) Investigation of the Conformation of Aryl Sulphones using a Novel Lanthanide-sulphone Complexation Model 252
R. J. ABRAHAM AND I. S. HAWORTH

^{31}P Nuclear Magnetic Resonance Spectroscopy of the Phosphorylated Tetrapeptide Gly-Gly-Asp-Ala 260
H. SCHLEMMER, G. M. SONTHEIMER AND H. R. KALBITZER

Long-range Proton–Carbon-13 Coupling Constants of Monosaccharides by Selective Heteronuclear 2D-*J* NMR Spectroscopy 264
C. MORAT, F. R. TARAVEL AND M. R. VIGNON

Reference Data
NMR Assignments for Some 2-substituted 2,6,6-Trimethyl-7-oxa-bicyclo[3.2.1]octanes (Dihydropinols) 271
R. M. CARMAN, M. T. FLETCHER AND L. K. LAMBERT

News and Events 273

Papers in Press, 274

NUMBER 4 APRIL 1988

Variable-temperature NMR Studies of Thyroid Hormone Conformations 275
D. J. GALE, D. J. CRAIK AND R. T. C. BROWNLEE

Analysis of ^{13}C, ^{14}N Residual Dipolar Coupling in the ^{13}C CP/MAS NMR Spectra of Ribonucleosides 281
A. C. OLIVIERI, L. FRYDMAN, M. GRASSELLI AND L. E. DIAZ

Assignment of the NMR Spectra of Benzo[*b*]triphenyleno[1,2-*d*]thiophene Through the Application of Zero Quantum Proton-Proton Correlation Combined with Proton-detected Long-range Multiple Quantum Heteronuclear Chemical Shift Correlation 287
A. S. ZEKTZER, L. D. SIMS, R. N. CASTLE AND G. E. MARTIN

Structural and Conformational Analysis by ^{1}H NMR and ^{13}C NMR of a New Angiotensin I Converting Enzyme Inhibitor, the *tert*-Butylamine Salt of (2*S*)-2-(1*S*)-1-Carbethoxybutylamino]-1-oxopropyl-(2*S*,3a*S*,7a*S*)perhydroindole-2-carboxylic acid (Perindopril) 296
N. PLATZER, J. P. BOUCHET AND J. P. VOLLAND

^{13}C NMR Spectra of Substituted Pyridine *N*-Oxides. Substituent and Hydrogen Bonding Effects 303
B. BRYCKI, B. NOWAK-WYDRA AND M. SZAFRAN

Distinction of ^{15}N Resonances Based on Differences in Small ^{15}N,^{1}H Coupling Constants. An Application of ^{1}H-Decoupled INEPT Experiments 307
C. GLEMAREC, G. REMAUD AND J. CHATTOPADHYAYA

Stereochemistry of Hexakis(3-methoxyphenyl)benzene and Hexakis (3-methylphenyl)benzene. An Incremental Chemical Shift Model for *meta*-Substituted Hexaphenylbenzenes 311
H. PEPERMANS, R. WILLEM, M. GIELEN AND C. HOOGZAND

ESR and ENDOR Studies on the Radical Anions of some Arylethenes and Arylacetylenes 319
F. GERSON, I. B. GOLDBERG AND T. M. MCKINNEY

Spin Density Distribution in Dialkyl Oxalate Radical Anions 324
P. BRIX, D. HELLING AND J. VOSS

Deuterium Isotope Effects as a Conformational Probe in Cyclic and Acyclic Ketones 327
S. BERGER AND B. W. K. DIEHL

NMR Spectra of the Porphyrins: 34—Determination of the Conformational Equilibria of Monosubstituted Piperidines at Room Temperature using Cobalt(III) Porphyrin Shift Reagents 334
R. J. ABRAHAM AND C. J. MEDFORTH

Reference Data
NMR Spectra and Stereochemistry of Perhydrooxazolo[3,4-*a*]pyridines 345
T. A. CRABB, A. N. TRETHEWEY AND Y. TAKEUCHI

^{13}C NMR Chemical Shift Assignments for some Carbazole Derivatives 347
A. R. KATRITZKY, G. W. REWCASTLE, L. M. V. DE MIGUEL AND Z. WANG

Book Review 351

NUMBER 5 MAY 1988

Improvement in the Evaluation of Quantitative Data in FT NMR Spectroscopy by the Convolution Difference Resolution Enhancement (CDRE) Technique 353
T. KUPKA AND J. O. DZIĘGIELEWSKI

^{13}C–^{1}H Shift Correlation with Full ^{1}H–^{1}H Decoupling 358
M. PERPICK-DUMONT, W. F. REYNOLDS AND R. G. ENRIQUEZ

Long-Range CH Correlation 2D NMR Spectroscopy 2—Effect of TANGO and BIRD Pulses 362
V. V. KRISHNAMURTHY AND J. E. CASIDA

Long-Range CH Correlation 2D NMR Spectroscopy 3—Long-Range *J* Modulation of Cross-Peak Intensities 367
V. V. KRISHNAMURTHY AND J. E. CASIDA

Study of Disaccharide Conformation by One- and Two-Dimensional NMR Spectroscopy: 1,6-Anhydro-β-maltose Hexaacetate 373
P. DAIS AND A. S. PERLIN

Stereochemistry of Crown Ethers I. Conformational and Dynamic Behaviour of *N*-Tosyl-Substituted Diaza Crown Ethers 380
E. KLEINPETER, M. GÄBLER AND W. SCHROTH

The Stereochemistry of Crown Ethers II—^{1}H and ^{13}C NMR Structural Study in Solution 387
E. KLEINPETER, M. GÄBLER, W. SCHROTH, J. MATTINEN AND K. PIHLAJA

^{129}Xe Line Widths in Block Copolymers 392
S. K. BROWNSTEIN, J. E. L. ROOVERS AND D. J. WORSFOLD

Magnetic Properties in Terms of Localized Quantities VIII—Azines and Azoles 394
M. SCHINDLER

Deuterium-Induced NMR Isotope Shifts for ^{13}C Resonance Frequencies of Norbornane. Quantitative Data for the Dihedral Angle Dependence of Vicinal Shifts 408
R. AYDIN, W. FRANKMÖLLE, D. SCHMALZ AND H. GÜNTHER

Conformations of Cycloalkenyl Radicals: a Dynamic EPR Study of the Cyclohept-4-enyl Radical 412
J. C. WALTON

EPR and ENDOR Investigations of Dynamic Processes in Sterically Overcrowded Phenoxyl-Type Galvinoxyl Radicals 416
J. VON GERSDORFF, B. KIRSTE, D. NIETHAMMER, W. HARRER AND J. KURRECK

^{1}H and ^{13}C NMR Assignment of Maltitol by a Combination of 2D NMR and H/D Isotope Effects on Nuclear Shielding 425
R. E. HOFFMAN, D. B. DAVIES

Reference Data
^{13}C Nuclear Magnetic Resonance Spectroscopy of 4-Methylcoumarins (4-Methyl-2*H*-1-benzopyran-2-ones) 430
V. S. PARMAR, S. SINGH AND P. M. BOLL

Complete Carbon-13 and Proton NMR Assignments for Two Mesogenic Series Containing Cyclohexyl Rings 433
C. BALDWIN FRECH, B. M. FUNG AND M. SCHADT

^{15}N NMR Spectra of Wyosine (Y-Nucleoside) Triacetate and its 7-Methyl Congener. Chemical Shifts and ^{15}N,^{1}H Coupling Constants 435
C. GLEMAREC, G. REMAUD AND J. CHATTOPADHYAYA

^{13}C and ^{31}P NMR Data for some 6-Aryloxydibenzo[d,f][1,3,2]dioxaphosphepin 6-oxides/sulphides and 3-Cyclohexyl-6-(1,1-dimethylethyl)-3,4-dihydro-2-aryloxy-2H-1,3,2-benzoxazaphosphorine 2-oxides 438
M. S. R. NAIDU AND C. N. RAJU

Book Review 442; Papers in Press 443

NUMBER 6 JUNE 1988

^{13}C NMR Investigations of Phenol-Triethylamine Complexes: Ion Pair-Molecular Complex Tautomerism 445
M. ILCZYSZYN, H. RATAJCZAK AND K. SKOWRONEK

Two-dimensional POMMIE J(CH)-Resolved ^{13}C NMR Spectrum Editing. Application to Peptide and Carbohydrate Derivatives 449
B. COXON

Structure and Conformation of α-Bromobutyrolactones in the Solid State and Solution 457
J. GHARBI-BENAROUS, G. DANA, M. PHILOCHE-LEVISALLES AND C. BOIS

A Revised ^{13}C NMR Spectral Assignment of Hellebrigenin 464
F. R. VAN HEERDEN AND R. VLEGGAAR

The Effect of p-π Conjugation on the Barrier to Pyramidal Sulphur Inversion in Pentacarbonylchromium Complexes of Thioethers 468
A. GRYFF-KELLER, P. SZCZECINSKI AND H. KOZIE

Synthesis and Spectroscopic Studies of 2-(1,1-Dimethylhydrazono)propyl Phosphonates 471
M. SALAZAR, V.-S. LI AND L. A. CATES

^{13}C NMR Spectra of Some Trichothecene Mycotoxins and Derivatives 475
A. G. AVENT, J. F. GROVE AND J. R. HANSON

^{1}H and ^{13}C NMR Study of 2-Aminothiazole Urinary Tract Carcinogens 482
R. M. DAVIDSON, J. R. RICE, V. M. LAKSHMI, T. V. ZENSER AND B. B. DAVIS

Pseudohalogen Chemistry. VIII-Substituent Constants (Z) for the Thiocyanato Group in the Estimation of the Chemical Shifts of Vinyl Protons in α,β-Unsaturated Thiocyanates 488
R. G. GUY

Repeatability and Reproducibility of Site-Specific Isotope Ratios in Quantitative ^{2}H NMR 491
C. GUILLOU, M. TRIERWEILER AND G. J. MARTIN

Experimental Test of Karplus-Type Relationships for ^{3}J(Sn, C) and ^{3}J(Sn, H) 497
T. N. MITCHELL, J. C. PODESTA, A. AYALA AND A. B. CHOPA

Assignment of Proton and Carbon NMR Signals of Didemnin A in Solution 501
H. KESSLER, M. WILL, G. M. SHELDRICK AND J. ANTEL

^{15}N CP-MAS NMR Study of Azo-Hydrazone Tautomerism of Some Azo Dyes 507
A. LYČKA, J. JIRMAN, B. SCHNEIDER AND J. STRAKA

Selective Heteronuclear NOE Enhancements in Benzoheterocycles. Effect of Ring Size on Indirect Three-Spin Effects 511
J. REDONDO, F. SÁNCHEZ-FERRANDO, M. VALLIS AND A. VIRGILI

Compounds with Bridgehead Nitrogen. 56 – The ^{1}H NMR Spectra and Stereochemistry of Some Perhydrooxazolo[3,4-*a*]quinolines and 3,3a,4,5-Tetrahydro-1*H*-oxazolo[3,4-*a*]quinolines 518
T. A. CRABB AND G. C. HEYWOOD

Temperature Dependence of NMR Secondary References for D_2O and $(CD_3)_2SO$ Solutions 523
R. E. HOFFMAN AND D. B. DAVIES

Reference Data
Configurations and Conformations of Some Methyl-Substituted 2,4-Dioxabicyclo[3.3.1]Nonanes 526
J. MATTINEN, K. PIHLAJA, J. CZOMBOS AND M. BARTÓK

Carbon-13 Chemical Shift Assignment of *E*-Stilbenyloxyalkanocarboxylic Acids and their Derivatives 529
E. WYRZYKIEWICZ, J. GRZESIAK AND W. PRUKALA

Carbon-13 NMR Study of 1-(Trifluoromethyl)-dihydro- and tetra-hydro-naphthalenes 533
D. BONNET-DELPHON AND M. OUREVITCH

Letter to the Editor, 536; Book Review, 537; Papers in Press, 538

NUMBER 7 JULY 1988

^{13}C NMR Spectroscopic Study of the Rearrangement of 16β-Hydroxy-17-oxo Steroids to 17β-Hydroxy-16-oxo Isomers 539
D. DOLLER AND E. G. GROS

Long-Range CH Correlation 2D NMR Spectroscopy. 4—Complete Spectral Assignments of the Pesticide Metabolite S-(2,3-Dihydroxy-1-propyl)glutathione 542
V. V. KRISHNAMURTHY, J. E. CASIDA AND D. R. DOHN

ESR and ENDOR Investigations of Phenanthrenesemiquinones 547
H. B. STEGMANN, HOANG DAO-BA, M. MAURER, K. SCHEFFLER, H. BUCHNER, E. HARTMANN AND A. MANNSCHRECK

Unambiguous Assignment of the ^{13}C NMR Spectra of Methylindoles 552
M. S. MORALES-RÍOS, R. E. DEL RÍO AND P. JOSEPH-NATHAN

Structure Elucidation of an Unexpected Acylation Product of Dithranol: an Application of Improved Heteronuclear Two-dimensional NOE Spectroscopy 559
P. BIGLER, M. RYCHENER AND U. SÉQUIN

Diastereoisomers with Three Neighbouring Phenyl Groups. XI—Hindered Phenyl and Formylmethylamino Group Rotations in 3-(Formylmethylamino)-1,2,3-triphenylpropyl Chlorides 564
V. S. DIMITROV, V. B. KURTEVA, M. J. LYAPOVA, B. P. MIKHOVA AND I. G. POJARLIEFF

Phosphorus–Nitrogen Compounds. Part 57—Variable-Temperature Phosphorus-31 Nuclear Magnetic Resonance Spectroscopy of Some Phenyl-substituted Cyclotriphosphazatrienes 571
W. FRANCIS DEUTSCH, H. G. PARKES AND R. A. SHAW

Generation of Quinone Cation Radicals via Photo-induced Electron Transfer: ESR Evidence 577
ZHONG-LI LIU, LUNG-MIN WU AND YOU-CHENG LIU

^{13}C NMR Assignment of Dammarane Triterpenes and Dendropanoxide: Application of 2D Long-Range ^{13}C–^{1}H Correlation Spectra 581
M. TORI, R. MATSUDA, M. SONO AND Y. ASAKAWA

Carbon-13 NMR Relaxation Studies of Gluconate and Manganese–Gluconate Interactions 591
D. B. COFFIN AND W. R. CARPER

ENDOR and Triple Resonance Studies of 1,4-Dihydro-1,2,4-benzotriazinyl Radicals and 1,4-Dihydro-1,2,4-benzotriazine Radical Cations 595
F. A. NEUGEBAUER AND G. RIMMLER

^{1}H and ^{13}C NMR Study of Hindered Rotation in N^{1},N^{1}-Dimethyl-N^{2}-Substituted Phenylacetamidines 601
I. WAWER

Chirality in Hindered Naphthylamines 608
T. HERBST, G. P. SCHIEMENZ AND C. WOLFF

Aromatic Substituent Chemical Shifts and J(CF) Coupling Constants in Fluoro-substituted Benzenes 612
R. A. NEWMARK, J. R. HILL AND G. V. D. TIERS

Microcomputer Simulation of Solid-State ^{13}C NMR Line Shapes Affected by Quadrupolar Nuclei 615
A. OLIVIERI, L. FRYDMAN, M. GRASSELLI AND L. DIAZ

Reference Data
Carbon-13 to Nitrogen-14 Coupling Constants in some Heterocyclic Cations Containing Quaternary Nitrogen Atoms 619
M. J. TAYLOR, D. J. CALVERT AND C. M. HOBBIS

Configurational Assignment of β-Fluoro-β-Phenylamines using ^{1}H and ^{19}F NMR 621
S. HAMMAN, T. BENAÏSSA AND C. G. BÉGUIN

Complete Structural Assignment in a Series of Thieno[3,4-*b*]quinoxalines by Means of 2D NMR 624
L. LEGENDRE, J. MAHUTEAU, M. MIOCQUE AND J.-M. VIERFOND

Carbon-13 NMR Spectra of 1,6-Bis Derivatives of Hexa-2,4-diynes 626
K. C. MAJUMDAR, R. N. DE, B. K. SEN, A. BANERJI AND A. K. MITRA

Book Review 629

NUMBER 8 AUGUST 1988

Review
Long-range Two-dimensional Heteronuclear Chemical Shift Correlation 631
G. E. MARTIN AND A. S. ZEKTZER

Selenium-77 NMR of Coordination Compounds with Unsaturated Selenium Ligands and/or Selenium (II) Central Ions 653
W. DIETZSCH, R-M. OLK, E. HOYER, W. MEILER AND W. ROBIEN

Cycloaddition Reactions of Cephalosporin Compounds. IX. ^{1}H and ^{13}C NMR Stereochemical Study of the 1,3-Dipolar Cycloadditions of Diazoalkanes to 2-Methylenecephem Derivatives 658
J. Cs. JÁSZBERÉNYI, J. PITLIK, Gy. BATTA, K. E. KÖVÉR AND K. KOLLÁR

Comparative Study of the ^{13}C Nuclear Magnetic Resonance Shifts of Carbonyl and Thiocarbonyl Compounds 665
A. R. KATRITZKY, S. SOBIAK AND C. M. MARSON

Chemistry of the S═O Bond. 10*. Conformational Analysis of Cyclic Sulphates via ^{13}C and ^{17}O NMR Spectroscopy 671
D. G. HELLIER AND H. G. LIDDY

Solvent Dependence of ^{13}C Relaxation Times and Reorientational Dynamics in Tribromobenzene 675
A. F. T. CHEN, S. P. WANG AND M. SCHWARTZ

Comparison of Substituent-induced Proton NMR Shifts in Steroids and Decalins 679
H-J. SCHNEIDER AND M. JUNG

Configurational Assignment of β-Phenylaspartic Acids in Solution by ^{1}H and ^{13}C Nuclear Magnetic Resonance 683
M. BARRELLE, C. GEY AND C. G. BÉGUIN

Configurational Assignment of 2-Alkylsulphinyl-1-arylethanol Diastereomers by ^{13}C NMR 687
F. ALCUDIA, I. FERNÁNDEZ, J. M. LLERA, M. TRUJILLO AND F. ZORRILLA

^{1}H and ^{13}C NMR Spectra of the Opioid Analgesics Metazocine, Pentazocine and Cyclazocine 693
A. GRASSI, G. C. PAPPALARDO AND B. PERLY

EPR and ENDOR Investigation of Daunomycin and Adriamycin Semiquinones 701
T. JÜLICH, K. SCHEFFLER, P. SCHULER AND H. B. STEGMANN

Dynamic NMR Study of the Electronic State of Heteroaromatics. III*. Pyrylium Salts or Intramolecularly Bridged Pentamethine Cyanines? 707
E. KLEINPETER, R. SPITZNER, W. SCHROTH, K. PIHLAJA AND J. MATTINEN

Reference Data
^{13}C NMR Chemical Shift Assignments for Some 1-Aminopyrrole Derivatives 714
O. A. ATTANASI, M. GROSSI, F. R. PERRULLI, S. SANTEUSANIO, F. S. ZANETTI, A. BONGINI AND V. TUGNOLI

^{1}H and ^{13}C NMR Studies of Third-generation Cephalosporin Esters Sulphoxides and Sulphones 719
M. LEE, R. G. MICETICH, R. SINGH, P. SPEVAK, M. P. SINGH AND S. N. MAITI

Carbon-13 NMR Spectra of Cyclohexaneaminonitriles 721
M. MANOHARAN AND E. L. ELIEL

NUMBER 9 SEPTEMBER 1988

Two-dimensional NMR Spectra of Sesquiterpenes. II—NOESY Study of Some Sesquiterpene Lactones with Pseudoguaianolide, 3,4,-*seco*-Pseudoguaianolide and Guaianolide Skeletons 725
I. ALJANČIĆ-ŠOLAJA, S. MILOSAVLJEVIĆ, M. DJERMANOVIĆ, M. STEFANOVIĆ AND S. MACURA

Restricted Rotation in Sterically Hindered Dichalcogenides. A Dynamic NMR Study 729
B. M. PINTO, R. Y. N. LEUNG AND R. DEV SHARMA

Stereochemical Factors Determining the Effects of Glycosylation on the ^{13}C Chemical Shifts in Carbohydrates 735
A. S. SHASHKOV, G. M. LIPKIND, Y. A. KNIREL AND N. K. KOCHETKOV

Compounds with Bridgehead Nitrogen. 57 the NMR Spectra and Stereochemistry of Protonated Perhydro-oxazolo[3,4-*a*]pyridines, Perhydropyrido[1,2-*c*][1,3]oxazine and Perhydropyrido[1,2-*c*][1,3]oxazepine 748
T. A. CRABB AND A. N. TRETHEWEY

ESR Spectroscopy of the 4,5-Bis(methoxycarbonyl)-1,3,2-dithiazol-2-yl Radical Labelled with Sulphur-33 and Nitrogen-15 755
K. F. PRESTON, J. P. B. SANDALL AND L. H. SUTCLIFFE

Solubilization of Aromatics in Aqueous Bile Salts. IV—Two-dimensional ^{1}H NMR Study of Intra- and Inter-molecular Interactions in Aromatic Solubilizate–Cholate Systems 760
E. KOLEHMAINEN

Application of Cyclodextrins to Chiral Analysis by ^{1}H NMR Spectroscopy 765
A. F. CASY AND A. D. MERCER

High-resolution ^{13}C NMR Study of Free and Metal-complexed Ionophores in the Solid State: Conformation and Dynamics of the Macrocyclic Ring and the Effect of Intermolecular Short Contact of Methyl Groups on Spin–lattice Relaxation Times and Displacements of Chemical Shifts 775
H. SAITÔ, R. TABETA AND M. YOKOI

EPR Spectrum of the Ion Pair $[Cr(CO)_5^-]_2$ in Irradiated Crystals of $PPh_4^+HCr(CO)_5^-$ 787
J. R. MORTON, K. F. PRESTON AND M. Y. DARENSBOURG

Complete Assignment of the ^{13}C NMR Spectra of Bleomycin A_2 and its Zinc Complex by Means of Two-dimensional NMR Spectroscopy 793
M. A. J. AKKERMAN, C. A. G. HAASNOOT, U. K. PANDIT AND C. W. HILBERS

The NMR Spectra of the Porphyrins. 36—Ring Currents in Octaethylporphyrin, *meso*-Tetraphenylporphyrin and Phthalocyanine Complexes 803
R. J. ABRAHAM AND C. J. MEDFORTH

Reference Data
^{13}C NMR and ^{1}H NMR Chemical Shifts of Bis(1,1-dimethylethyl) Disulfide and Bis(1,1-dimethylethyl) Trisulfide and Their Oxide Derivatives 813
F. FREEMAN AND C. LEE

News and Events, 816; Papers in Press, 817

NUMBER 10 OCTOBER 1988

Editorial 819
P. M. E. LEWIS

Foreword by the Guest Editor 820
H. GÜNTHER

Two-Dimensional NMR Spectroscopy of Connected Transitions by Linear Combination of Flip Angle Dependent COSY: an Alternative Scheme for E. COSY 821
K. CHANDRASEKHAR AND A. KUMAR

Two-Dimensional ^{6}Li, ^{1}H Heteronuclear Overhauser Spectroscopy (HOESY) in Magnitude and Pure Absorption Representation. Application to a Dimer–Monomer Equilibrium of a 1,4-Dilithio Compound 827
W. BAUER AND P. VON RAGUÉ SCHLEYER

The application of ^{1}H/^{13}C Inversely Correlated NMR Spectroscopy to the Determination of the Stereochemistry of a Polysubstituted [2.2]Paracyclophane 834
R. E. FISCHER, J. DABROWSKI, A. EJCHART AND H. A. STAAB

Total Assignment of the ^{1}H- and ^{13}C-NMR Spectra of Dinaphtho[1,2-*b*:1′,2′-*d*]thiophene Through the Concerted Use of Two-Dimensional NMR Techniques 839
M. D. JOHNSTON, JR., M. SALAZAR, D. K. KRUGER, R. N. CASTLE AND G. E. MARTIN

Improvement of 2D NMR Spectra by Matching Symmetry-related Spectral Features 848
K.-P. NEIDIG AND H. R. KALBITZER

New Approaches to Oligosaccharide Sequencing and Conformational Distribution Around the Glycosidic Bond. One- and Two-Dimensional ^{13}C–{^{1}H} NOE Spectroscopy 852
GY. BATTA AND K. E. KÖVÉR

Extraction of ^{1}H–^{1}H and ^{1}H–^{13}C Dipolar Couplings from Spectra Acquired in Inhomogeneous Magnetic Fields 860
L. E. KAY, D. S. THOMSON AND J. H. PRESTEGARD

Practicalities and Applications of Reverse Heteronuclear Shift Correlation: Porphyrin and Polysaccharide Examples 867
J. CAVANAGH, C. A. HUNTER, D. N. M. JONES, J. KEELER AND J. K. M. SANDERS

Computer-aided Evaluation of Two-Dimensional Multiple-Quantum, Carbon Shift Correlation 876
H. EGLI

Evaluation of Pulse Sequences Combining ^{13}C–^{1}H Shift Correlation and Heteronuclear J Spectroscopy with Full ^{1}H–^{1}H Decoupling 881
M. PERPICK-DUMONT, W. F. REYNOLDS AND R. G. ENRÍQUEZ

Analysis of Multiplets in Two-Dimensional NMR Spectra by Topological Classification: Applications to Vinblastine and Cyclosporin A 888
P. PFÄNDLER AND G. BODENHAUSEN

Indirect Two-Dimensional Heteronuclear NMR Spectroscopy of Low-γ Metal Nuclei (M = ^{183}W, ^{57}Fe, ^{103}Rh, ^{61}Ni) 895
R. BENN AND A. RUFIŃSKA

An Alternative Approach to Multi-Dimensional NMR Spectroscopy 903
R. FREEMAN, J. FRIEDRICH AND S. DAVIES

Structure Elucidation of a Spirostanol Glycoside from *Asparagus Officinalis* Fruits by Concerted Use of Two-Dimensional NMR Techniques 911
G. PANT, M. S. PANWAR, D. S. NEGI, M. S. M. RAWAT, G. A. MORRIS AND R. I. G. THOMPSON

Improvement of Relayed-NOESY Type Experiments by Implantation of Spin-lock Sequences 919
H. KESSLER, G. GEMMECKER, B. HAASE AND S. STEUERNAGEL

REVIEW PAPER
Application of Two-Dimensional NMR Spectroscopy in the Determination of Solution Conformation of Nucleic Acids 927
R. V. HOSUR, G. GOVIL AND H. T. MILES

Papers in Press, 946

NUMBER 11 NOVEMBER 1988

Radicals Induced by Illumination of a Mixture of Unsaturated Fatty Acids with Ultraviolet Light at 77 K 947
T. B. MELØ AND G. S. MAHMOUD

Application of Natural Abundance ^{2}H NMR. Simultaneous Measurement of Primary and Secondary Kinetic Deuterium Isotope Effects 955
BEN-LI ZHANG

^{15}N–^{13}C Spin Coupling as a Probe of Electronic Structure in Benzenediazonium Ions: INDO-SOS-MO Calculations and Steric Inhibition of Resonance 960
T. AXENROD, X. H. HUANG, D. TUFARO, C. WATNICK AND G. A. WEBB

Preparation and Carbon-13 NMR Study of 3- and 20-Methylene Analogues of Steroid Hormones 963
M. D. GONZALEZ AND G. BURTON

Pseudohalogen Chemistry. IX—Substituent Constants (Z) for the Isothiocyanato Group in the Estimation of the Chemical Shifts of Vinyl Protons in α,β-Unsaturated Isothiocyanates 967
R. G. GUY

***cis-trans* Isomerism in Monoalkylhydroxamic Acids by ^{1}H, ^{13}C and ^{15}N NMR Spectroscopy** 970
D. A. BROWN, W. K. GLASS, R. MAGESWARAN AND B. GIRMAY

Determination of the Stereochemistry of Isoxazolidinium Salts by Nuclear Overhauser Effect Difference Spectroscopy 974
A. LIGUORI, R. OTTANÀ, G. ROMEO, E. ROTONDO, G. SINDONA AND N. UCCELLA

Complete Spectral Assignments of Cevadine and Veratridine by 2D NMR Techniques 980
V. V. KRISHNAMURTHY AND J. E. CASIDA

Scalar ^{13}C, ^{1}H and ^{13}C, ^{19}F Spin-Spin Couplings Between Carbonyl Carbons and Aromatic Protons (or Fluorine) in (η^{6}-Arene)tricarbonylchromium Complexes 990
P. SZCZECIŃSKI AND A. GRYFF-KELLER

Computer Predictions of ^{13}C Spectra. II—Alcohols and Ketones 992
J. BASTARD, J. M. BERNASSAU, M. BERTRANNE AND E. R. MAIA

A Practical Guide to Combined Rotation and Multiple-pulse NMR Spectroscopy of Solids 1003
P. JACKSON AND R. K. HARRIS

Structural Studies on Some Mesoionic Compounds Using Nitrogen NMR 1012
J. JAŻWIŃSKI, L. STEFANIAK AND G. A. WEBB

Further ESR Studies of the Cyclic Sulphur Nitride Radical $S_3N_2^+$ with a Q-band Spectrometer 1015
K. M. JOHNSON, K. F. PRESTON AND L. H. SUTCLIFFE

Determination of Ligand Lifetimes in the Ni(glycerol)$_2^{2+}$ Complex by Proton NMR Spin-lattice Relaxation Time Measurements 1020
T. LARSSON AND J. KOWALEWSKI

^{139}La NMR as a Tool for Kinetic Studies 1023
Y. DUCOMMUN, L. HELM, G. LAURENCZY AND A. E. MERBACH

Conformational Analysis. 15—Lanthanide-induced Shift Investigation of 2-*exo*-Norborneol Using Tailored Models of Lanthanide Complexation 1027
R. J. ABRAHAM AND A. E. ROWAN

Reference Data
Use of Two-dimensional NMR to Assign the Protons and Carbons in Cephalotaxine 1036
JIN-LONG CHENG, YU-XIN CUI, YU LI AND XIN-FU PAN

Assignment of the ^{13}C NMR Shifts of Brominated Pyrrole Derivatives 1037
L. H. FOLEY, G. J. HABGOOD AND K. S. GALLAGHER

NUMBER 12 DECEMBER 1988

Conformation and Dynamics of Ranitidine in Solution as Detected by ^{1}H and ^{13}C NMR Spectroscopy 1041
E. GAGGELLI, N. MARCHETTINI, A. SEGA AND G. VALENSIN

High-field Aluminium-27 Nuclear Magnetic Resonance Investigations of Sodium Aluminate Solutions 1047
J. W. AKITT, W. GESSNER AND M. WEINBERGER

Application of ^{1}H NMR Bi-selective Relaxation Times to Conformational Analysis in Solution 1051
M. SUGIURA, N. TAKAO AND H. FUJIWARA

NMR of the Methylene Group: Artifacts in the Proton–Proton Decoupled Heteronuclear Two-dimensional Chemical Shift Correlation Experiment 1058
A. D. BAIN, D. W. HUGHES AND H. N. HUNTER

Identification of *C*-Glycopyranosides and *C*-Glycofuranosides by ^{13}C NMR and ^{1}H NMR. Complete Assignment of Their Spectral Data Using Carbon/Proton Chemical Shift Correlation Spectroscopy 1062
B. WRIGHT, L. R. HUGHES, S. S. QURESHI AND A. H. DAVIDSON

^{13}C–^{1}H Shift Correlation with Full ^{1}H–^{1}H Decoupling. II—Further Significant Improvements in Resolution and Sensitivity 1068
W. F. REYNOLDS, S. McLEAN, M. PERPICK-DUMONT AND R. G. ENRÍQUEZ

Relaxation of Platinum-195 in Tetracyanoplatinate (II) and Hexacyanoplatinate (IV) in Aqueous Solutions 1075
R. E. WASYLISHEN AND J. F. BRITTEN

^{77}Se NMR Studies of Bis(alkylthio)Selenides of Biological Thiols 1079
D. L. RABENSTEIN AND K.-S. TAN

Natural Abundance Carbon-13 and Deuterium NMR Studies on the Liquid and Solid Phases of *tert*-Butyl Chloride and *tert*-Butyl Nitrate 1086
D. W. AKSNES, K. RAMSTAD AND O. P. ØJØRLYKKE

Suppression of Uninformative Peaks in Two-dimensional Relayed-NOESY Spectra 1093
J. CAVANAGH, J. J. TITMAN AND J. KEELER

Determination of the 18-α/18-β Configuration of Pentacyclic Triterpenes. A Multivariate Data–Analytical Approach 1097
H. GRAHN, C. J. MASINO, B. NORDÉN AND U. EDLUND

Unusual Two-bond ^{13}C, ^{13}C Coupling Constants in Sulphones 1103
C. RÜCKER AND H. FRITZ

Reference Data
^{13}C NMR Spectra of Substituted Carbazoles and Azacarbazoles (β-Carbolines) 1109
R. ERRA-BALSELLS

^{17}O NMR Study of Chlorinated Anisoles 1112
E. KOLEHMAINEN AND J. KNUUTINEN

Papers in Press, 1114; Author Index, i; Volume Contents, vii.